




THERMORY®
LEAVE A LASTING IMPACT



DECLARATION OF PERFORMANCE

No KU2021-Dv1

The undersigned, representing
Thermory AS (Löötsa 1a, Tallinn, Harju County, Estonia) and the manufacturing plant in Reola,
Tartu County, Estonia hereby declares that the

NATURAL SOLID WOOD SPRUCE CLADDING WITHOUT SURFACE COATING

For interior use

is in conformity with the provisions of the EC Regulation No 305/2011
Construction Product Regulation system of assessment and verification of constancy
of performance: System 4 and is in accordance with the requirements of EN 14915:2013

„Solid wood paneling and cladding – Characteristics, evaluation of conformity and marking“

Initial type testing report No.01_THERMORY_EN14915

CHARACTERISTIC	PERFORMANCE DECLARATION	HARMONIZED STANDARD
Species	Norway spruce (<i>Picea abies</i>)	EN 13556:2003
Density and range of thickness	420–460 kg/m ³ , 15 mm	
Reaction to fire	D-s2, d0	
Emission of formaldehyde	E1	
Content of pentachlorophenol	NPD	
Release of other dangerous substances	NPD	EN 14915:2013
Water vapor permeability	NPD	
Thermal conductivity	0.12 W/(m K)	
Sound absorption	0.1/0.3	
Biological durability	Class 4	EN 350:2016

Gert Zuba
CQO
Tallinn 05.03.2024