




THERMORY®
LEAVE A LASTING IMPACT



DECLARATION OF PERFORMANCE

No T-RM2024VSLG-Dv1

The undersigned, representing
Thermory AS (Lõõtsa 1a, Tallinn, Harju County, Estonia) and the manufacturing plant in Loo,
Harju County, Estonia hereby declares that the

THERMALLY MODIFIED SOLID WOOD RADIATA PINE CLADDING WITH “VIVID SILVERED LIGHT GRAY-D” COATING

For interior and exterior use

is in conformity with the provisions of the EC Regulation No 305/2011
Construction Product Regulation system of assessment and verification of constancy
of performance: System 3 and is in accordance with the requirements of EN 14915:2013

„Solid wood paneling and cladding – Characteristics, evaluation of conformity and marking“

Testing Laboratory (Notified body No.2040)
Classification report No.K68_2023
Initial type testing report No.01_THERMORY_EN14915

CHARACTERISTIC	PERFORMANCE DECLARATION	HARMONIZED STANDARD
Species	Radiata pine (<i>Pinus radiata</i>)	EN 13556:2003
Density and range of thickness	455 kg/m ³ , ≥18 mm	EN 14915:2013
Reaction to fire	D-s2, d0	EN 13501-1:2018
Emission of formaldehyde	E1	
Content of pentachlorophenol	NPD	
Release of other dangerous substances	NPD	EN 14915:2013
Water vapor permeability	NPD	
Thermal conductivity	0.12 W/(m K)	
Sound absorption	NPD	
Biological durability	Class 2, when thermally modified (220 °C, Intense)	EN 350:2016

Gert Zuba
CQO
Tallinn 05.03.2024