

# We are THERMORY®

# Beauty and stability in every fiber

A little over two decades after its first product trials, **Thermory®** has become the world's largest and most recognized thermally modified wood producer. We're represented in over 60 countries in Europe, North America, and Asia, and our products are present in thousands of architectural structures created by forward-thinking architects and designers.

Thermory® because of our ability to deliver reliably high quality chemical-free wood products that last much longer, expanding the use of wood to environments where it was previously not feasible or complicated. We've changed how creators of spaces understand wood, showcasing what is possible, how a positive impact can be achieved in the built environemnt around us. And increasing number of designers, architects, and the general public are beginning to take note.

Today's generation aspires to change living spaces for the better, and our role is to offer the tools and inspiration to make that happen. This book is a sampling of recent projects selected from all over the world. It's a portfolio of both public and private spaces - schools, saunas, parks, restaurants, shopping centers, hotels, and residences - where designers have found inspiration in Thermory®. In these structures and environments, thermally-treated wood has found a home, offering new ways for architects to employ biophilic design and allowing creators to harness nature's beneficial qualities and leave a lasting impact.

We hope you'll find inspiration in these pages, as well.

- **5** We Are Thermory
- 6 Contents
- 9 EXTERIORS
- 117 INTERIORS
- 143 SAUNA
- 160 Where Can You Find Us?

EXTERIOR





Product Information
Thermo-ash cladding
and decking,
D45J profile

**Architect** Zussman Bear


Contractor / Builder NTG Construction **Distributor**Outdoor Deck
Company




Product Information Thermo-radiata pine cladding, C4 profile Architect Karlis Graudins

**Distributor** BONO Timber Contractor / Builder Dual Arhitekti

Photographer Elvis Licitis










Product Information
Thermo-ash cladding

Contractor / Builder Sterling Builders

**Architect** Shape Architecture







## Private Holiday Rental Cabin

ESTONIA

Product Information Thermo-ash cladding, C23J profile

Photographer Krõõt Tarkmeel







# Pemberton Heights


USA


Contractor / Builder Miars Construction Product Information
Thermo-ash cladding

**Photographer** Ryann Ford

Architect

Sanders Architecture







Product Information
Thermo-ash cladding,
interior cladding and
ceiling

**Architect** Wim Maas

Interior Architect Grand&Johnson **Distributor** Interfaca

**Photographer** Flare Department









Hidden in the forest, you arrive at a clearing with endless views over the river and its floodplains. The tranquillity and simplicity that the house exudes, fits perfectly into its environment. The architects have incorporated Thermory wood to the interior and exterior of the house, linking it even more to the surrounding nature.

Minimal, flat planes of the modern house are complimented by Thermory's thermo-ash cladding. The deep brown tone and texture of the timber cladding contrast beautifully against the white façade, floor-to-ceiling windows, and the lush green surroundings.

The house has strong mid-century modern vibes, regarding its sharp, clean lines, minimal decoration on the exterior, and connection with nature.

Nature and lifestyle were emphasized in the original mid-century modern homes. They were often built with floorto-ceiling windows providing views of the yard, sliding glass doors, and many





access points to the outdoors. All of which is also true in the design of this modern house.

The exterior of the house is partly covered with thermally modified ash wood in various widths. Mixing profiles and the widths of the cladding boards

give depth to the façade by creating a beautiful play of shadows in changing light conditions. This playful variation reflects the irregularity of nature that the house is situated in.





Private House with Thatched Roof

ESTONIA

Product Information Thermo-ash cladding and decking, C20 profile

Photographer Elvo Jakobson









# Battersea Power Station, Switch House


UK

# **Product Information** Thermo-ash

decking

**Distributor** Outdoor Deck Company







## Rakvere State High School

ESTONIA

Product Information
Thermo-pine oiled
cladding in profiles:
C4, D4, C42, D4 sg

**Architect** Salto arhitektid Contractor / Builder Revin Grupp

Photographer Karl Kasepõld







Designed by Salto Architects, the school complex forms a pleasing whole with the park and town square next to it. Given its location, the designers wanted to create a pavilion-like structure for the school.

The placement of the classrooms maximises views over the park and square. Set on a rolling landscape, the school is surrounded by broad thermopine stairs and a variety of trees and plants. The well-planned outdoor area is ideal for open-air lessons and school events.


The facade of the school building sees an interplay of thermo-pine stained dark with oil and glass surfaces which gradually increase and then decrease in size. The tall, thermally modified screening panels on the western side of the building limit the amount of afternoon and evening sun in the common areas.

The architects were already familiar with Thermory's products and thermally modified wood thanks to their work on the Paide State Upper Secondary School project, in which thermo-pine retaining its natural tone was used

on the building's facade and terrace.
Thermory wood was chosen for both projects because of the material's excellent resistance in the harsh Estonian climate.











# Minikin Hunt Tiny House

ESTONIA

Product Information
Thermo-pine cladding

**Architect** Mari Hunt

Contractor / Builder Minikin Living

Photographer Maria Ilves



CHILE

Product Information

**Photographer**Juan Francisco Vargas











Product Information
Thermo-pine cladding
and roofing

**Developer** Tiny Rebel NL Contractor / Builder VMS Timber

# Tiny Rebel House

NETHERLANDS









Piil Tiny House / Jägala Juga Resort

Product Information
Thermo-pine cladding,
Thermo-ash decking

Arsenit

Architect

**Distributor** Levstal Group

**Photographer** Yifan Liu









Architect Arseni Timofejev: "Tiny house Piil is a prototype where different ideas could be tested – one of them was the use of timber in a contemporary way in as many locations as possible. Thus, the interior joinery and panelling are made of oak veneer and the bathroom is partially finished in acetylated pine. Outside, however, the entire façade, roof and terrace are made of different profiles of Thermory's thermo pine and thermo ash."

The internal area of the building measures just 19 square metres and continues the recent trend of offering visitors a chance to stay in a tiny house amidst nature, without giving up the familiar comfort.

While the load-bearing structure is made of steel, the main material of the building is wood. The steel elements are painted black to fade them in the background and bring the various types and uses of wood to the fore.

Externally, the building is clad in Thermory thermo-pine battens. The rainscreen cladding battens are thermally modified, yet otherwise untreated. Over time, the material will therefore weather gracefully to a silver-grey, helping the building blend in with its pine tree context.

Thermal treatment makes the normally soft pine wood more durable and emphasises its warm tone and characteristic grain.

The directionality of the hit-and-miss cladding further emphasises the building form. The use of battens with a square cross-section adds visual depth, filters light and air into the building while giving it a monolithic appearance. Finally, this approach shades the openable window.

The roof is finished in Thermory's Benchmark thermo-pine, which is very

durable in the Estonian climate due to the extremely low thermal and moisturi expansion of the wood, thanks to its chemical-free thermal treatment. Thermo-ash specified for the terrace has an exotic deep brown colour, is tactile and highly resistant to heavy use, making it an exceptionally practical and cosy terrace material.

The objective of Studio Arsenit was to minimise damage to the natural environment and respect the existing greenery, so a 3D point-cloud model of the site was created from the outset and all the building elements were manufactured off-site before being assembled in situ. Choosing the pre-fabrication approach helped reduce waste, minimise costs and construction time.



Product Information

Thermo-pine and Thermo-spruce cladding in profiles C34 and C24 Thermo-pine decking in D4 profile

Architect

Anna Nikland

**Photographer** Liis Jago & Benjamin Andre-Micolon

AUSTRALIA


Product Information Ignite cladding

**Developer** Elevate Building Group

Distributor

McCormacks

Photographer SpaceCraft Media













ESTONIA


Product Information
Thermo-pine cladding

Architect Salto arhitektid Contractor / Builder Megaron-E

**Photographer** Tõnu Tunnel









## Private House


POLAND

Product Information
Thermo-pine cladding

**Distributor** Komplex Market

**Architect** 81.WAW.PL Photographer Nate Cook

Contractor / Builder WoodWork Group











## Toomu Farmhouse

ESTONIA

## Product Information

Thermo-pine cladding and roofing in profiles C32 and D4 Thermo-ash oiled decking, D4J profile

**Architect** PIN Arhitektid

Photographer Karl Kasepõld











Pelgulinna State High School


ESTONIA


Product Information
Thermo-pine cladding

**Architect** Arhitekt MUST Contractor / Builder Merko Ehitus

**Photographer** Tõnu Tunnel







The architects' vision was to create one of the largest wooden structures in Estonia. "Pelgulinna State Upper Secondary School is environmentally oriented and it was important for us to create an organic link between the spatial environment and the school's learning direction through the choice of materials," says one of the architects of the building, Ott Alver.

"85% of the building's load-bearing structure is made of timber, plus 3,600 m2 of façade cladding and 33 km of timber frame elements."

The thermo-treated pine frame on the façade is the building's calling card. A wooden braiding, nearly a metre deep, helps to break down the strict boundaries between the inside and outside of the schoolhouse. The frame is designed not to restrict views from the interior, but to block as much sunlight as possible from above and from the sides. School rooms need plenty of daylight, but on sunny days its intensity needs to be controlled.

The frame covering the façade of the schoolhouse is made of a single cross-section profile, and the complexity of this braiding comes from the repetition of a single element – the wooden profile is installed in a fixed rhythm horizontally

and vertically. In addition to covering the entire façade of the building, the laminated timber frame continues as a 300-metre-long bench around the school building.

As timber has to last for at least 25-30 years, a complex and three-dimensional façade poses a challenge for products and materials. In the case of the double façade, the emphasis is on ensuring maximum weather resistance. The

required lifetime is given to the timber by the fire retardant applied in vacuum chambers using the high-pressure method. Threaded spacers have been used for the connections of wooden profiles in order to achieve a minimum contact surface. All façade fixings are made of stainless steel and the upper ends of the wooden profiles are covered with composite board caps.





# Vilnius Pilaitės Gymnasium

LITHUANIA

Product Information
Thermo-pine cladding
and Thermo-ash
decking

## Architect

DO architects

## Distributor

Medzio Gausa IKOSA

# **Photographer** Norbert Tukaj








59









## Luccaranna Residential Development

ESTONIA

Product Information Thermo-spruce coated (Vivid Silvered Dark) cladding, C24 profile
Thermo-pine coated
(Vivid Light Brown),
C34 profile


Architect Kuu arhitektid

**Developer** Invego


Photographer Karl Kasepõld
















Architect
Poon Design Inc

**Photographer** Hunter Kerhart



USA









# Deschutes Residence

USA

Product Information
Vivid cladding,
Thermo-spruce
ceilings and
Thermo-ash decking

## Architect

Anacapa architecture

Contractor / Builder PacWest Builders

## **Photographer** Erin Feinblatt









# Luxury Patio House

NETHERLANDS

Product Information
Thermo-ash cladding,
interior and ceilings,
C5J profile

**Architect** BNLA architecten

Contractor / Builder Carpentier Hardwood Solutions

**Photographer** Jurrit Van Der Waal







Holthone Farmhouse

NETHERLAND

Product Information Vivid cladding

**Architect** The Citadel Company

Distributor InterFaca

**Photographer** Egbert de Boer







**Architect**Catherine Pageau

**Photographer**Justin Rush

## Treeangle Cabin

USA









# Apartment Building

Product Information Thermo-ash cladding, C20 profile

**Distributor** Ikosa UAB, Medžio Gausa








Penthouse Decking


ISRAEL

Product Information

Thermo-ash decking

**Distributor** Roshar ISR LTD







Bnaya - Vila

ISRAEL

Product Information
Thermo-pine decking,
D4 profile


Architect
Pnina Rimon,
Hagay Tadmor


Contractor / Builder Builder Alon Berger

on Berger

**Photographer** Orit Alfassi

**Distributor** ROSHAR ISR LTD







Thermory pine cladding was chosen by the client to create an aesthetic of rural cottages in the heart of downtown Toronto.

The downtown laneway used to be lined with cottage homes centuries ago and the client wanted to recreate the vibe (and smell) of her family's rustic cottage. It was important that a sustainable and natural product was used for the cladding.

The client's vision was to be a sustainable and efficient laneway duplex using sustainably conscious materials. She selected Thermory pine due to its warm tones and sustainable thermally modified treatment. She wanted a laneway home that revolves around sustainability and an aesthetic that evoked nature and her old cottage (which was constructed out of pine).

The duplex house is fully electric with no fossil fuels or natural gas use whatsoever and 24 solar panels on the recycled standing seam blue heron roof.

This build is unique in many facets. Outside of the use of Thermory's pine, this project is an all-electric build that utilizes 27 solar panels to generate ~90% of energy use. The building is a total of 1100 square feet divided between 2 full apartments making for a tidy symbiosis of tiny space living and sustainability. Every material used was careful vetted and considered.

### Product Information

Thermo-pine cladding, C19 profile

### Architect

Peter Latoszek from Lattag Studio Inc

### Contractor / Builder

ZZ Contracting

### Photographer

Bahar Pourpezeshk Photography





## Mana Lake

POLAND

Product Information Thermo-pine cladding,

C34 profile
Thermo-ash decking,
D4sg profile

Architect Mana Lake sp. Zo.o.o

Contractor / Builder Domkki sp. Zo.o.

Distributor Komplex Market











# Platanplan Golgota

HUNGARY

### Product Information

Thermo-spruce
(Thermory Kodiak)
cladding, C15 profile
Thermo-pine
(Thermory Benchmark)
decking in profiles
C4J and D4

# **Architect** Attila Bogdan

# Contractor / Builder Platanplan Engineering Office Ltd

Photographer Márk Mészáros & András Kránitz



Na Rade

SLOVAKIA

Product Information

Vivid cladding, D4J profile

Architect

NOIZ Architects

Contractor / Builder BBC DOMY, s.r.o.

Distributor

Woodmaster

Photographer Tomáš Manina







Private House

ISRAEL

Product Information Thermo-ash cladding, D4 profile Thermo-aspen interior, Kyte profile

**Architect** BE Architects

**Photographer** Shy Gil











Product Information

Thermo-ash weathered cladding

### Architect

Groen Tuinarchitectuur - Roy Bindels

Contractor / Builder Bindels Tuinen in cooperation with Carpentier

### Distributor

Carpentier Hardwood Solutions

### Photographer Monique Nillesen Fotografie & Artwork

The landscaping company Bindels Tuinen worked with Carpentier Hardwood Solutions to deliver a garden house and outdoor area in Helmond in the Southern Netherlands. The client wanted a private garden that would provide their children with plenty of room in which to play. This led to the creation of a multi-level space featuring distinct shapes, materials in natural tones and lush garden vegetation.


This pleasant and highly practical out-

door space plays with different levels.


Thermowood was integrated into the interior and exterior spaces of the building alike. Thermally modified timber covers both the deck and the facade of the house. Thermo-ash cladding and decking with a naturally aged greyish colour blend in seamlessly with the surrounding nature.

Thermowood was chosen for the project because of its resilience and aesthetic appearance. Since thermal modification boosts the wood's resistance to weather conditions, it was ideal for the demanding Dutch climate. Adding weight to the choice of the material was the long lifespan of thermo-ash, its beautiful colouration and its minimal maintenance requirements.

The design of both the garden house and the garden itself is marked out by clean lines, modern materials and elegant finishing, which in combination with the rich vegetation lend the garden a timeless feel












Product Information
Thermo-ash cladding,
C20 profile


Architect Miniature Ma
Dan Briker, dbdbdb Inc and Igor Yu

Contractor / Builder ZZ Contracting

Photographer
Miniature Massive
and loor Yu









Düün ESTONIA Product Information

Thermo-ash shingles cladding

Architect Brita Kallion

Contractor / Builder

Evicon











The Nest

INDIA


Product Information


Thermo-radiata pine cladding, C43-1 profile Thermo-pine interior, D4 profile

**Architect**Aamir Hameeda
Design Studio

Contractor / Builder Natural Elements **Distributor** Unique Flooring

Photographer Ricken Desai





Planeet Ruhnu Community Centre

Product Information Thermo-ash decking, D4 profile

Architect TEMPT architects Contractor / Builder Ruhnu Kultuuriruum

Photographer Valdek Laur



# **Private House**

USA

Product Information Thermo-ash decking


**Photographer** Emma Almendarez

**Architect** Brookside Design











Product Information
Thermo-radiata pine
(Vivid) cladding

**Distributor**Oomens Timber
Products

Photographer Studio Meulenberg









Poko Resto

ESTONIA

Product Information Thermo-ash cladding (battens)

> Architect BOA Arhitektid



ESTONIA

Product Information Vivid cladding (battens)

Architect Reelika Reinsalu, Birgit Õigus, Kaarel Luht, Kertti Soots

**Contractor / Builder** Dreibau OÜ

Photographer Caroline Vabrit













# Gramercy Place Housing

USA

Product Information
Thermo-pine cladding
(battens)


**Architect**Kevin Daly Architects

Contractor / Builder Elliott Drinkward Construction

### Distributor

Royal Plywood

**Photographer**Weldon Brewster










# Private House


ESTONIA

Product Information Thermo-pine cladding, C34 profile

Photographer Karl Kasepõld












Carriage House


AUSTRALIA

Product Information Ignite cladding

**Architect** Shayanna Blaze **Distributor** McCormacks

Photographer Lauren Bamford







# Private House Carpentier

NETHERLANDS

Product Information Thermo-radiata pine cladding

**Architect** PVL Architecten

**Distributor**Carpentier Hardwood
Solutions







USA

Private House

Architect Studiomet Architects

Product Information

Thermo-ash cladding

Contractor / Builder Seafast Construction

Distributor

Masons Mill

Photographer Chad Hatcher, Xtreme Heights Productions



# ÖÖD House


Product Information Thermo-ash cladding

Photographer Günther Küttis

















### Benson Residence

USA

Product Information
Thermo-ash cladding
and ceiling


Architect Arin Zarookian, Studio AZ Design Contractor / Builder Sam Dan Vision Construction

Photographer Arin Zarookian This private residence on the outskirts of Los Angeles stands in stark contrast to the white stuccoed homes around it. Architect Arin Zarookian set himself the goal of blending the building in with the surrounding landscape and creating a warm, inviting home using natural and authentic materials. Thermally modified wood became the central element of the structure, determining the architectural feel and aesthetics of the project as a whole.

The building is characterised by its distinct shapes and clean lines. Fitting in seamlessly with its surroundings, the private residence blurs the lines between interior and exterior, simultaneously offering sheltered and open spaces and, with them, stunning Californian vistas.

Wood is found in all of the building's architectural elements, maintaining a through-line inside and out. Thermo-ash clads the external walls of the structure and is






also found in its fences, outdoor shower surround, specially commissioned revolving door and courtyard bench.

One of the walls of the building is finished with the same material, as is the garage door set into it – creating a visually uniform surface that serves to conceal the door. The colour of the thermal ash used in the living areas fits in perfectly with the walnut elements of the home's interior design.

The architect was delighted with the multipurpose nature of the thermally modified wood and the quality of Thermory's products. Other aspects which spoke in favour of the material were its ease of care, its termite- and rot-resistance and the warranty provided by the manufacturer. The decking was able to be quickly and easily installed thanks to the PaCS® Strip fastening system, whose pre-grooved boards were specially milled to the required size. The system ensures an aesthetically pleasing result with no visible screws or screw holes.

This elegant and thoughtfully designed home proves that natural materials are central to the creation of sustainable modern architecture and that thermally modified wood is perfectly suited to houses of all sizes.





INTERIOR



# The New American Home


USA


Product Information Thermo-oak and Thermo-aspen cladding in profiles C57 and SRP

Architect Sun West Custom Homes

Contractor / Builder Sun West Custom Homes

Photographer Levi Ellyson, 501 Studios









The Nest

INDIA

Product Information


Thermo-radiata pine cladding, C43-1 profile Thermo-pine interior, D4 profile

**Architect** Aamir Hameeda Design Studio


Contractor / Builder Natural Elements

**Distributor** Unique Flooring

**Photographer** Ricken Desai












# Grand Emily Hotel

UKRAINE

Product Information
Drift interior cladding,
C15 profile

Architect YOD Group

Photographer Evgeny Avramenko









Architect YOD Group Photographer Evgeny Avramenko

The interior is designed with muted shades of colour and rich textures, set against the backdrop of the thermowood of the Thermory Drift range.

"The central theme of the hotel is hon-

est materials, solutions inspired by na-

ture and local handicraft traditions," say

Dmytro Bonesko (YOD Group). Located

in the heart of the Bukovel ski resort in

Ukraine, the architectural concept of the

HAY Boutique Hotel grew out of ad-

Carpathians.

miration for the beautiful nature of the

architects Volodymyr Nepiyvoda and


Luxuriously wide cladding boards are used throughout the building – in hotel rooms, restaurants, spas and corridors, all designed with a minimalist approach to form. With a worn look and natural

# Hay Boutique Hotel

UKRAINE







## Issei Restaurant

ESTONIA








## Sushi Restaurant


ESTONIA

Product Information
Ignite interior cladding

**Architect** Age Lenk

**Photographer** Terje Ugandi





 Wingate - The National Institute For Sport Excellence Israel


ISRAEL

Product Information
Thermo-ash flooring


t**ion Dist** ing Ros

**Distributor** Roshar ISR LTD

**Architect** Dor Kessel Photographer Natali Sakovsky







133



## Indoor Pool

POLAND

### Product Information

Thermo-ash interior cladding and decking in profiles C7J and D4sg2

### Architect

InterArch

### Distributor

Komplex Market

# Photographer Yassen Hristov








Product Information Interior cladding, SRP profile

Photographer Elvo Jakobson

Architect Pilleriin Leet



Product Information Interior cladding, Kyte-S profile

**Architect** Karolina Zagrodzka

**Distributor** Komplex Market

Private House

ESTONIA

Product Information Interior cladding, Vire Translucent Sand

Photographer Karl Kasepõld


Architect

Kadi Jair

## Hallway Renovation POLAND










Private House

Product Information Thermo-aspen interior, Kyte profile **Photographer** Shy Gil


**Distributor** Roshar

**Architect** BE Architects

ISRAEL










Private House

ESTONIA

Product Information Thermo-ash interior

Architect Hanna Karits

**Photographer** Tõnu Tunnel









The Estonian islands are enchanting in their uniqueness and this is what inspired architect Hanna Karits to create a symbiosis of local materials, peace, light, In order to enhance the value of wood nature and empathy.

The layout of the Japandi-inspired bungalow is a further development of the original factory building. The building is a bungalow with an inner courtyard surrounded by tall and imposing windows, which fill the long corridors and living room with light.

Most of the materials used in the house are natural - wood, limestone, clay paint, wool carpets. The combination was based on aesthetic choices as well as the architect's goal to create an environment that is as natural as possible, offering peace and refreshing the soul.

as the most environmentally friendly and renewable building material today, the architect has used it in as many different ways as possible.


"Using wood as the material was agreed with the client at the very first brainstorming meeting, and I decided to take it as a challenge," says architect Hanna Karits. "I had previous experience of using thermally modified material, but not on this scale."

In addition to the floors, the same wood has been used on the ceiling of the

living room and bedroom to make the high and spacious rooms with large glass surfaces safer for people in terms of spatial experience. The lighting is warm and enhanced by the warm shade of the thermally modified ash.

"The desire to experiment with timber in such a warm and dark shade seemed exciting, but also perfectly suited to the context. I was also interested in spatial experiments, how to balance a room when you have very high ceilings and large glass surfaces, and wood was the perfect material for this."





SAUNA

# 0

### Sauna by The Lake

SLOVAKIA

### Product Information

Thermo-pine cladding C34. Sauna in alder in STS4 and SHP profiles.

### Architect WO|V|EN

Contractor / Builder Woodmaster

### Photographer

Katarína Janíčková



Designed in cooperation with architects from the Woven studio, the minimalistic sauna is a perfect match for its park-like setting.

"The client was interested in a ready-made sauna, but after meeting with them for the first time on site we realised that a tailor-made solution was needed – one that would blend in with the surroundings and offer gorgeous views straight from the sauna bench," explains Peter Jančár from Woodmaster SK

The sauna is akin to a nature observation post, with users enjoying uninterrupted views over the lake and garden from the expansive glass window serving as one whole wall of the steam room.

The external walls of the sauna are clad with thermo-pine C34 boards in four different widths and thicknesses. The thicker boards protrude from the thinner ones, giving the facade a three-dimensional feel.

The walls and ceiling of the steam room and the anteroom in front of it feature elegant, light-coloured alder. The fastening points of the panels with STP mouldings are concealed.

Alder is a good choice for steam rooms not only for its pleasant texture, but also because it is durable, water-repellent and never gets too hot.

"Thermally modified alder is my undisputed favourite material for sauna wall panels and bench boards, because the fragrance it emits as the space heats up is amazing," says Jančár. "I use it a lot in my projects, and I recommend it to my clients as well."











ESTONIA


### Product Information

Thermo-aspen sauna, SHP bench boards profile

Contractor / Builder

Saunatex

# Photographer Elvo Jakobson





ESTONIA

Product Information Thermo-aspen sauna, SHP bench boards

profile + cladding

Contractor / Builder Saunatex



# Ring Spa -Saunum Sauna

ESTONIA

Product Information

Thermo-aspen and Thermo-radiata pine sauna in profiles STS 4 aspen walls and SHP benches

Contractor / Builder Saunatex


Photographer Elvo Jakobson



ESTONIA

Product Information

Thermo-aspen and aspen sauna in profiles SRP and STP





ESTONIA

Product Information

Thermo-aspen sauna, STS4 profile

Photographer Elvo Jakobson




Private Sauna

ESTONIA

Product Information

Thermo-radiata pine sauna





Product Information Thermo-aspen sauna

Architect Johanna-Lisete Alling

Photographer Elvo Jakobson

Sauna on Wheels SLOVAKIA


Product Information Thermo-pine cladding and sauna in profiles:

Woodmaster Distributor Woodmaster


Photographer Katarína Janíčková

C34, sauna alder STS4, SHP


Architect WO|V|EN













**Outdoor Sauna** 

AUSTRALIA

Product Information Ignite cladding

**Contractor / Builder** Drip saunas **Distributor** McCormacks

Photographer Grant Kennedy



# Seven Peaks Lodge Sauna

FRANCE

Product Information
Thermo-ash cladding,
D4sg2 profile

William Glasbergen

Architect


Contractor / Builder Alpine Renovation


**Distributor** Bono Timber

Photographer Loic Seiko











Private House


ESTONIA

Product Information

Thermo-ash interior cladding and flooring in profiles F5-2 and thermo aspen STS valeura

**Architect** Hanna Karits

Photographer Tõnu Tunnel









We sell our products in 60+ countries

